

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
21	20	((protocol same stack same load\$4 same compatib\$5) and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
22	5	((database with protocol with stack) and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
23	20	((protocol with stack\$3) same (load\$5 or unload\$4) same (compatib\$5 or adaptable or congenial or congruent or consistent or consonant or cooperative or suitable)) and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
24	1	((protocol with (load\$3 or unload\$3)) same ((compatib\$5 with protocol)).ab. and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
25	33	((protocol adj stack) same compatib\$5 same (process or terminat\$5 or stop\$5 or service)) and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
26	27	((protocol adj stack) same compatib\$5 same (process or terminat\$5 or stop\$5 or service)) and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:34
27	0	((problem\$5 or conflict\$7) with (load\$5 with protocol)) same protocol same load\$5 same compatib\$6).ab. and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:34
28	0	((problem\$5 or conflict\$7) with (load\$5 near3 protocol)) same protocol same load\$5).ab. and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:34
29	4	(incompatib\$5 with protocol with stack) and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:34

30	2	((tcp/ip or tcp or ip or osi or sna) same (stop\$5 or load\$5) same (service or process) same protocol).ab. and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:34
-	0	(protocol same stack same load\$4 same memory same compatib\$5).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:24
-	4	protocol same stack same load\$4 same memory same compatib\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:04
-	2	(protocol same stack same load\$4 same memory same compatib\$5) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:22
-	1	(protocol and stack and load\$4 and memory and compatib\$5).clm. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:13
-	48	(protocol same stack same load\$4 same compatib\$5) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
-	0	(protocol same stack same load\$4 same compatib\$5 same (unload\$4 or delet\$5 or eliminat\$5 or withdraw\$5 or abandon\$5)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:49
-	3	(protocol same stack same load\$4 same compatib\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:56
-	0	(protocol same stack same load\$4 same (adaptable or congenial or congruent or consistent or consonant or cooperative or suitable)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:40
-	2	(protocol same stack same load\$4 same (adaptable or congenial or congruent or consistent or consonant or cooperative or suitable)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:55
-	11	(protocol same stack same load\$4 same compatib\$5 same (message or request\$4)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:56
-	16	((protocol with stack with compatib\$5) same load\$4 same compatib\$5) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:04
-	49	((protocol with stack\$3) same (load\$5 or unload\$4) same (compatib\$5 or adaptable or congenial or congruent or consistent or consonant or cooperative or suitable)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33

-	2	((protocol with stack\$3) same (load\$5 or unload\$4) same (compatib\$5 or adaptable or congenial or congruent or consistent or consonant or cooperative or suitable) same (memory or storage)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:26
-	49	((protocol with stack\$3) same (load\$5 or unload\$4) same (compatib\$5 or adaptable or congenial or congruent or consistent or consonant or cooperative or suitable)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:51
-	0	(protocol same unload\$4 same load\$4 same compatib\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:56
-	5	(protocol same memory same load\$4 same compatib\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:57
-	3	((protocol with compatib\$5) same memory same load\$4 same compatib\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:58
-	3	((protocol near6 compatib\$5) same memory same load\$4 same compatib\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:58
-	0	((network with protocol with (load\$3 or unload\$3)) same first same second same (compatib\$5)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:41
-	0	((network with protocol with (load\$3 or unload\$3)) same first same second same (compatib\$5)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:41
-	5	((network with protocol with (load\$3 or unload\$3)) same first same second same (compatib\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:42
-	5	((network with protocol with (load\$3 or unload\$3)) same first same second same (compatib\$5)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:45
-	14	((protocol near5 (load\$3 or unload\$3)) same network same ((compatib\$5 with protocol))) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:08
-	62	((protocol with (load\$3 or unload\$3)) same ((compatib\$5 with protocol))) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:08
-	7	((protocol with (load\$3 or unload\$3)) same ((compatib\$5 with protocol))).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
-	0	((protocol near3 (load\$3 or unload\$3)) same ((compatib\$5 with protocol))).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:15

-	0	((protocol near5 (load\$3 or unload\$3)) same ((compatib\$5 with protocol)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:15
-	4	((protocol near7 (load\$3 or unload\$3)) same ((compatib\$5 with protocol)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:29
-	1	((protocol with stack\$4 with accomodat\$5)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:27
-	8	((protocol with stack\$4 with compatib\$6)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15:00
-	147	((protocol adj stack) same compatib\$5 same (process or terminat\$5 or stop\$5 or service))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
-	6	((protocol adj stack) same compatib\$5 same (process or terminat\$5 or stop\$5 or service)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15:02
-	95	((protocol adj stack) same compatib\$5 same (process or terminat\$5 or stop\$5 or service)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
-	21	((protocol adj stack) same compatib\$5 same (terminat\$5 or stop\$5)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15:41
-	5	((protocol adj stack) same compatib\$5 same (process or service)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:33
-	0	((tcp/ip or osi or sna) same (stop\$5 or load\$5) same compatib\$6 same (service or process) same protocol).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:33
-	8	((tcp/ip or osi or sna) same (stop\$5 or load\$5) same (service or process) same protocol).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:38
-	37	((tcp/ip or tcp or ip or osi or sna) same (stop\$5 or load\$5) same (service or process) same protocol).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:34
-	0	((tcp/ip or tcp or ip or osi or sna) same (stop\$5 or load\$5) same (service or process) same protocol same compatib\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:38
-	33	((tcp/ip or tcp or ip or osi or sna) same (stop\$5 or load\$5) same (service or process) same protocol same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:50

-	2	((problem or conflict or error) with (load\$5 with protocol with stack)) same protocol same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:52
-	2	((problem\$5 or conflict\$7 or error) with (load\$5 with protocol with stack)) same protocol same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:52
-	85	((problem\$5 or conflict\$7 or error) with (load\$5 with protocol)) same protocol same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:52
-	2	((problem\$5 or conflict\$7 or error) with (load\$5 with protocol)) same protocol same load\$5 same stack).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:52
-	2	((problem\$5 or conflict\$7 or error) with (load\$5 with protocol)) same protocol same load\$5 same compatib\$6).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:54
-	70	((problem\$5 or conflict\$7) with (load\$5 with protocol)) same protocol same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:55
-	1	((problem\$5 or conflict\$7) with (load\$5 with protocol)) same protocol same load\$5 same compatib\$6).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
-	0	((problem\$5 or conflict\$7) with (load\$5 with protocol)) same protocol same load\$5 same compatib\$6).ab. and @ad<20010314 and stack	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:14
-	3	((problem\$5 or conflict\$7) with (load\$5 with protocol)) same protocol same load\$5).ab. and @ad<20010314 and stack	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:18
-	5	((problem\$5 or conflict\$7) near5 (load\$5 with protocol)) same protocol same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:14
-	24	((problem\$5 or conflict\$7) with (load\$5 near3 protocol)) same protocol same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
-	0	((problem\$5 or conflict\$7) with (load\$5 with protocol)) same protocol same load\$5 same compatib\$6) and @ad<20010314 and stack	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:14
-	2	((problem\$5 or conflict\$7) with (load\$5 with protocol)) same protocol same load\$5 same compatib\$6) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:14
-	13	((problem\$5 or conflict\$7) near5 (load\$5 with protocol)) same protocol same load\$5) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:14

-	17	((problem\$5 or conflict\$7) with (load\$5 with protocol)) same protocol same load\$5) and @ad<20010314 and stack	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:18
-	0	(protocol same suite same load\$4 same memory same compatib\$5) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:22
-	1	(protocol same suite same load\$4 same compatib\$5) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:22
-	0	(protocol same (conflict\$5 or incompatib\$5) same ((stop\$5 or terminat\$5) with (process or service)) same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:30
-	0	(protocol same (conflict\$5 or incompatib\$5) same ((stop\$5 or terminat\$5 or abort\$5) with (process or service)) same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:30
-	0	(protocol same (conflict\$5 or incompatib\$5) same ((stop\$5 or terminat\$5 or abort\$5) with (process or service or application or routine)) same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:30
-	0	(protocol same (conflict\$5 or incompatib\$5) same ((stop\$5 or terminat\$5 or abort\$5) with (process or service or application or routine or task)) same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:30
-	0	(protocol same (conflict\$5 or incompatib\$5 or compatib\$5) same ((stop\$5 or terminat\$5 or abort\$5) with (process or service or application or routine or task)) same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:30
-	1	(protocol same (conflict\$5 or incompatib\$5 or compatib\$5) same ((stop\$5 or terminat\$5 or abort\$5 or abandon\$5) with (process or service or application or routine or task)) same load\$5) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:31
-	1	(protocol same (conflict\$5 or incompatib\$5 or compatib\$5) same ((stop\$5 or terminat\$5 or abort\$5 or abandon\$5 or kill\$4) with (process or service or application or routine or task)) same load\$5) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:32
-	15	(protocol same (conflict\$5 or incompatib\$5 or compatib\$5) same ((stop\$5 or terminat\$5 or abort\$5 or abandon\$5 or kill\$4) with (process or service or application or routine or task)) same stack) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:32
-	15	(protocol same (conflict\$5 or incompatib\$5 or compatib\$5) same ((stop\$5 or terminat\$5 or abort\$5 or abandon\$5 or kill\$4) with (process or service or application or routine or task)) same (stack or suite)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:39
-	85	(protocol same (conflict\$5 or incompatib\$5 or compatib\$5) same ((stop\$5 or terminat\$5 or abort\$5 or abandon\$5 or kill\$4) with (process or service or application or routine or task))) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:39

-	3	(protocol same (conflict\$5 or incompatib\$5 or compatib\$5) same ((stop\$5 or terminat\$5 or abort\$5 or abandon\$5 or kill\$4) with (process or service or application or routine or task))).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:42
-	0	((manag\$5 with protocol with stack) same (mobile adj device)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:43
-	0	((control\$5 with protocol with stack) same (mobile adj device)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:44
-	0	((manag\$5 with protocol with stack) same (pda or cellphone or mobile)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:43
-	8	((control\$5 with protocol with stack) same (pda or cellphone or mobile)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:44
-	0	((cellphone or (cell adj phone) or pda) same protocol same load\$3 same (compatib\$5 or together\$5)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:25
-	0	((cellphone or (cell adj phone) or pda) same protocol same load\$3 same (compatib\$5 or together\$5)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:26
-	0	((cellphone or (cell adj phone) or pda) same protocol same load\$3 same (compatib\$5 or together\$5)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:26
-	0	((cellphone or (cell adj phone) or pda) same stack same load\$3 same (compatib\$5 or together\$5)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:27
-	15	((mobile or portable) same stack same load\$3 same (compatib\$5 or together\$5)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:38
-	44	((tcp/ip or tcp or ip) or osi or sna) same load\$5 same compatib\$6) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:39
-	2	((tcp/ip or tcp or ip) or osi or sna) same load\$5 same compatib\$6 same (service or process or application or task) same (abandon\$5 or elimin\$6 or stop\$5 or terminat\$5)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:59
-	13	(protocol same load\$5 same compatib\$6 same (service or process or application or task) same (abandon\$5 or elimin\$6 or stop\$5 or terminat\$5)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:02
-	17	(incompatib\$5 with protocol with stack) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:34

-	72	(database with protocol with stack) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/19 11:32
-	1	((database with protocol with stack) same (load\$5 or unload\$4)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/16 16:41
-	9	((database with protocol with stack)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/16 16:41